



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—*Oakland*.—Month of April, 1902. Estimated population, 75,000. Total number of deaths, 84, including diphtheria, 2; enteric fever, 2; measles, 1, and 11 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of April, 1902, from 166 towns having an aggregate census population of 906,795, show a total of 1,191 deaths, including diphtheria, 15; enteric fever, 14; measles, 4; scarlet fever, 23; whooping cough, 8, and 126 from phthisis pulmonalis.

ILLINOIS—*Peoria*.—Month of April, 1902. Census population, 56,100. Total number of deaths, 52, including diphtheria, 1, and 6 from tuberculosis.

IOWA—*Davenport*.—Month of April, 1902. Census population, 35,254. Total number of deaths, 35, including enteric fever, 1, and 5 from phthisis pulmonalis.

Dubuque.—Month of March, 1902. Census population, 36,297. Total number of deaths, 45, including enteric fever, 1; smallpox, 1, and 7 from tuberculosis.

MARYLAND—*Baltimore*.—Month of April, 1902. Estimated population, 525,000—white, 445,000; colored, 80,000. Total number of deaths, 839—white, 614; colored, 225—including diphtheria, 8; enteric fever, 13; measles, 3; whooping cough, 11; smallpox, 2, and 122 from tuberculosis.

Cumberland.—Month of April, 1902. Estimated population, 17,128. Total number of deaths, 24, including enteric fever, 1; smallpox, 1, and 6 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended May 10, 1902, from 89 observers, indicate that whooping cough and meningitis were more prevalent and bronchitis, pleuritis, scarlet fever, phthisis pulmonalis, intermittent fever, erysipelas, remittent fever, and dysentery were less prevalent than in the preceding week. Meningitis was reported present at 9, whooping cough at 15, diphtheria at 30, enteric fever at 38, measles at 82, scarlet fever at 87, smallpox at 100, and phthisis pulmonalis at 228 places.

The Monthly Bulletin of Vital Statistics says:

According to returns to the department of State, there were 2,850 deaths in Michigan during the month of April, 1902, a decrease of 109 from the preceding month. The death rate, however, 14.1 per 1,000 estimated population, was the same as that for March. There were 492 deaths of infants under 1 year of age, 219 deaths of children aged 1 to 4 years, inclusive, and 865 deaths of persons aged 65 years and over. Important causes of deaths were as follows: Pulmonary tuberculosis, 206; other forms of tuberculosis, 37; typhoid fever, 37; diphtheria and croup, 31; scarlet fever, 30; measles, 35; whooping cough, 25; pneumonia, 354; influenza, 45; cancer, 134; accidents and violence, 153. There were 5 deaths from smallpox during the month in the following localities: Benton Township, Cheboygan County; Belding

City, Ionia County; Fairplain Township, Montcalm County; Croton Township, Newaygo County, and Buena Vista Township, Saginaw County. One death from mumps occurred in Muskegon County, and 2 deaths from lightning were reported during the month, 1 from Flint Township, Genesee County, and 1 from Union Township, Isabella County.

NEW HAMPSHIRE—*Franklin*.—Month of April, 1902. Census population, 5,843. Total number of deaths, 10, including 1 from tuberculosis.

Manchester.—Month of April, 1902. Census population, 56,987. Total number of deaths, 86, including diphtheria, 3; enteric fever, 1, and 8 from phthisis pulmonalis.

NEW JERSEY—*Passaic*.—Two weeks ended May 10, 1902. Census population, 27,777. Total number of deaths, 19, including diphtheria, 1; measles, 2; scarlet fever, 2, and 2 from tuberculosis.

NEW YORK—*Buffalo*.—Month of April, 1902. Census population, 352,387. Total number of deaths, 436, including diphtheria, 9; enteric fever, 8; measles, 11; whooping cough, 2; smallpox, 1, and 38 from tuberculosis.

OHIO—*Zanesville*.—Month of April, 1902. Estimated population, 28,000. Total number of deaths, 26, including diphtheria, 4; enteric fever, 2, and 3 from tuberculosis.

PENNSYLVANIA—*Scranton*.—Month of April, 1902. Estimated population, 102,026. Total number of deaths, 160, including diphtheria, 2; enteric fever, 1, and 12 from tuberculosis.

York.—Month of April, 1902. Estimated population, 37,000. Total number of deaths, 32, including enteric fever, 1; smallpox, 1, and 3 from tuberculosis.

TEXAS—*San Antonio*.—Month of April, 1902. Estimated population, 63,000. Total number of deaths, 131, including enteric fever, 3, and 38 from tuberculosis, of which 16 were of nonresidents.

UTAH—*Ogden*.—Month of April, 1902. Estimated population, 20,000. Total number of deaths, 21, including diphtheria, 1; scarlet fever, 3, and 2 from tuberculosis.